



arclite

AA1100158

AA1100158

GTIN: 9010315092103

Wandsteuerung Einbau für FFECT Programm AA1100158

ARTIKELDETAILS

Wandsteuerung Einbau PI-LED K-ZWALLY 2.2 zur Steuerung von FFECT NeoLink/Zigbee Leuchten, Stufenlose Regelung der Helligkeit (1 % – 100 %) und der Farbtemperatur (1.800 K – 16.000 K) sowie Farbdurchlauf, Integration in ein übergeordnetes Netzwerk möglich (ausgehend von einer NeoLink Box, einem NeoLink USB Stick oder einem Amazon Echo Plus Gerät), Einbau in herkömmlichen Unterputz Gerätedosen mit einer Mindestdtiefe von 61 mm, HCL-Modus UTC „Automatischer Tageslichtverlauf“ inklusive Berücksichtigung von direkten und indirekten Lichtanteilen. Saisonaler Verlauf „Residential“ UTC - SOMMER - Max. 12.990 K indirekt, Max. 6.495 K direkt, 1.800 K zwischen 21:30 und 02:30 Uhr. FRÜHLING HERBST - Max. 12.050 K indirekt, Max. 6.495 K direkt, 1.800 K zwischen 18:45 und 05:15 Uhr. WINTER - Max. 11.160 K indirekt, Max. 5.580 K direkt, 1.800 K zwischen 16:30 und 07:30 Uhr. Wird das vom Wally gesteuerte Licht zwischen 23:30 und 05:00 eingeschaltet, wird automatisch ein Dimmlevel von 5% bei 1.800 K eingestellt.

Kontaktinformationen zur Marke

Hersteller:

ARCLITE Lichtvertrieb GmbH

Marie-Curie-Strasse 11
22941 Bargteheide

info@arclite.de

EIGENSCHAFTEN

MERKMALE

Produktgruppe	Steuergerät für Leuchten (EC002924)
Kompatibel mit Apple HomeKit	Nein
Kompatibel mit Google Assistant	Nein
Kompatibel mit Amazon Alexa	Nein
IFTTT-Unterstützung verfügbar	Nein
Ausführung	dynamisch
Art der Steuerung	Zigbee
Gehäuse	Kunststoffgehäuse
Aufbau	Nein
Einbau	Ja
DIN-Schienenmontage	Nein
Eingangsspannung	100 - 240 V
Schutzart (IP)	IP20
Länge	70 mm
Breite	70 mm
Höhe	45 mm
Programmierbar	Ja

IMPORT/EXPORT

Herkunftsland	Österreich (AT)
Statistische Warennummer	Elektrische Maschinen, Apparate und Geräte mit eigener Funktion, in Kapitel 85 anderweit weder genannt noch inbegriffen (85437090)

WEITERE PRODUKTE

ZUBEHÖR

**AA1100161**

Zentralplatte mit Drehknopf für FFECT Programm AA1100161

**AA1100162**

1-fach Aufbaurahmen für FFECT Programm AA1100162

**AA1100163**

2-fach Aufbaurahmen für FFECT Programm AA1100163

ZUBEHÖR FÜR

**TB41265.00.56.51**

squareFFECT 625 BAP - DALI Human Centric Lighting weiss 50W 80° 1800-16000K/RGB C...

**TB41265.00.56.53**

squareFFECT 625 BAP - NeoLink Human Centric Lighting weiss 50W 80° 1800-16000K/RG...

**TB41265.00.56.69**

squareFFECT 625 BAP - BLE Human Centric Lighting weiss 50W 80° 1800-16000K /RGB CR...

**TC40013.00.56.51**

roundFFECT 80 - DALI Human Centric Lighting schwenkbar weiss 15W 50° 1800-16000K/...

**TC40013.00.56.53**

roundFFECT 80 - NeoLink Human Centric Lighting schwenkbar weiss 15W 50° 1800-1600...

**TC40013.09.56.51**

roundFFECT 80 - DALI Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800-16...

**TC40013.09.56.53**

roundFFECT 80 - NeoLink Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800...

**TC40014.00.56.51**

squareFFECT 80 - DALI Human Centric Lighting schwenkbar weiss 15W 50° 1800-16000K...

**TC40014.00.56.53**

squareFFECT 80 - NeoLink Human Centric Lighting schwenkbar weiss 15W 50° 1800-16000K...

**TC40014.09.56.51**

squareFFECT 80 - DALI Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800-16000K...

**TC40014.09.56.53**

squareFFECT 80 - NeoLink Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800-16000K...

**TC40019.33.56.51**


roundFFECT 68 - DALI Human Centric Lighting starr weiss/weiss 12W 75° 1800-16000K...

**TC40019.33.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/weiss 12W 75° 1800-16000K...

**TC40019.61.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/gold 12W 75° 1800-16000K...

**TC40019.61.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/gold 12W 75°
1800-1600...

**TC40019.62.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/schwarz 12W 75°
1800-1600...

**TC40019.62.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/schwarz 12W 75°
1800-1...

**TC40019.63.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/silber 12W 75° 1800-
16000...

**TC40019.63.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/silber 12W 75°
1800-16...

**TC40019.71.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr schwarz/gold 12W 75° 1800-
16000...

**TC40019.71.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr schwarz/gold 12W 75°
1800-1600...

**TC40019.72.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr mattschwarz/schwarz 12W
75° 1800-1600...

**TC40019.72.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr mattschwarz/schwarz
12W 75° ...

**TC40019.73.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr schwarz/silber 12W 75°
1800-1600...

**TC40019.73.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr schwarz/silber 12W 75°
1800-1600...

**TC40019.85.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr schwarz/weiss 12W 75°
1800-1600...

**TC40019.85.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr schwarz/weiss 12W 75° 1800-1...

**TC40024.00.56.51**

squareFFECT 95 - DALI Human Centric Lighting starr weiss 14W 50° 1800-16000K/RGB ...

**TC40024.00.56.53**

squareFFECT 95 - NeoLink Human Centric Lighting starr weiss 14W 50° 1800-16000K/R...

**TC40024.02.56.51**

squareFFECT 95 - DALI Human Centric Lighting starr schwarz 14W 50° 1800-16000K CR...

**TC40024.02.56.53**

squareFFECT 95 - NeoLink Human Centric Lighting starr schwarz 14W 50° 1800-16000K...

**TC40024.04.56.51**

squareFFECT 95 - DALI Human Centric Lighting starr Aluminium geb. 14W 50° 1800-16...

**TC40024.04.56.53**

squareFFECT 95 - NeoLink Human Centric Lighting starr Aluminium geb. 14W 50° 1800...

**TC40234.00.56.51**

topFFECT 385 - DALI Human Centric Lighting starr weiss 35W 113° 1800-16000K CRI90...

**TC40234.00.56.53**

topFFECT 385 - NeoLink Human Centric Lighting starr weiss 35W 113° 1800-16000K CR...

**TC40234.01.56.51**


topFFECT 385 - DALI Human Centric Lighting starr silber 35W 113° 1800-16000K /RGB ...

**TC40234.01.56.53**

topFFECT 385 - NeoLink Human Centric Lighting starr silber 35W 113° 1800-16000K/R...

**TC40304.00.56.51**

penFFECT 555 - DALI Human Centric Lighting weiss 72W 120° 1800-16000K/RGB CRI90 7...

**TC40304.00.56.53**

penFFECT 555 - NeoLink Human Centric Lighting weiss 72W 120° 1800-16000K /RGB CRI9...

**TC40378.00.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar weiss 36W 25° 1800-160...

**TC40378.00.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar weiss 36W 25° 1800-...

**TC40378.00.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar weiss 36W 25° 1800-1600...

**TC40378.01.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar silber 36W 25° 1800-16...

**TC40378.01.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar silber 36W 25° 1800...

**TC40378.01.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar silber 36W 25°
1800-160...

**TC40378.02.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar schwarz 36W 25°
1800-1...

**TC40378.02.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar schwarz 36W
25° 180...

**TC40378.02.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar schwarz 36W 25°
1800-16...

**TC40388.00.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar weiss 36W 40°
1800-160...

**TC40388.00.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar weiss 36W
40° 1800-...

**TC40388.00.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar weiss 36W 40°
1800-1600...

**TC40388.01.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar silber 36W 40°
1800-16...

**TC40388.01.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar silber 36W
40° 1800...

**TC40388.01.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar silber 36W 40°
1800-160...

**TC40388.02.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar schwarz 36W 40°
1800-1...

**TC40388.02.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar schwarz 36W
40° 180...

**TC40388.02.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar schwarz 36W 40°
1800-16...

**TC40389.00.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar weiss 36W 60°
1800-160...

**TC40389.00.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar weiss 36W
60° 1800-...

**TC40389.00.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar weiss 36W 60°
1800-1600...

**TC40389.01.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar silber 36W 60°
1800-16...

**TC40389.01.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar silber 36W
60° 1800...

**TC40389.01.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar silber 36W 60°
1800-160...

**TC40389.02.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar schwarz 36W 60°
1800-1...

**TC40389.02.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar schwarz 36W
60° 180...

**TC40389.02.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar schwarz 36W 60°
1800-16...

KONTAKT

ARCLITE® Lichtvertrieb GmbH

Marie-Curie-Strasse 11
22941 Bargteheide
Deutschland