



arclite

# AA1100162

AA1100162

GTIN: 9010315047974

1-fach Aufbaurahmen für FFECT Programm AA1100162

## ARTIKELDETAILS

1-fach Aufbaurahmen für Zentralplatte mit Drehknopf - Jung A500 Serie, für K-ZWALLY

## Kontaktinformationen zur Marke

### Hersteller:

ARCLITE Lichtvertrieb GmbH

Marie-Curie-Strasse 11

22941 Bargteheide

[info@arclite.de](mailto:info@arclite.de)

**AA1100162**

## EIGENSCHAFTEN

## MERKMALE

|                                                  |                         |
|--------------------------------------------------|-------------------------|
| Produktgruppe                                    | Abdeckrahmen (EC000007) |
| Unterputzmontage                                 | Nein                    |
| Anzahl der Einheiten                             | 1                       |
| Montagerichtung                                  | horizontal und vertikal |
| Anzahl der Einheiten horizontal                  | 1,00                    |
| Anzahl der Einheiten vertikal                    | 1,00                    |
| Anzahl der Module horizontal (bei Modulbauweise) | 1                       |
| Anzahl der Module vertikal (bei Modulbauweise)   | 1                       |
| Textfeld/Beschriftungsfläche                     | Nein                    |
| Oberflächenschutz                                | sonstige                |
| Ausführung der Oberfläche                        | glänzend                |
| Farbe                                            | weiß                    |
| RAL-Nummer (ähnlich)                             | 9010                    |
| Transparent                                      | Nein                    |
| Mit Klappdeckel                                  | Nein                    |
| Befestigungsart                                  | Klemmbefestigung        |
| Breite                                           | 81 mm                   |
| Höhe                                             | 81 mm                   |
| Tiefe                                            | 10 mm                   |
| Werkstoff                                        | Kunststoff              |
| Werkstoffgüte                                    | Duroplast               |
| Halogenfrei                                      | Ja                      |
| Geeignet für Unterflurkanaldose                  | Ja                      |
| Geeignet für Geräteeinbaukanal                   | Ja                      |
| Geeignet für Einbauinstallation                  | Ja                      |

## IMPORT/EXPORT

Statistische Warennummer

Waren aus Kunststoffen und Waren aus anderen Stoffen der Positionen 3901 bis 3914, anderweit weder genannt noch inbegriffen (ausg. Gesichtsschutzschirme /Visiere) (39269097)

## WEITERE PRODUKTE

## ZUBEHÖR FÜR

**AA1100157**

Wandsteuerung Einbau für FFECT Programm AA1100157

**AA1100158**

Wandsteuerung Einbau für FFECT Programm AA1100158

**AA1100160**

Wandsteuerung Einbau für FFECT Programm AA1100160

**AA1100161**

Zentralplatte mit Drehknopf für FFECT Programm AA1100161

**TB41265.00.56.51**

squareFFECT 625 BAP - DALI Human Centric Lighting weiss 50W 80° 1800-16000K/RGB C...

**TB41265.00.56.53**

squareFFECT 625 BAP - NeoLink Human Centric Lighting weiss 50W 80° 1800-16000K/RG...

**TB41265.00.56.69**

squareFFECT 625 BAP - BLE Human Centric Lighting weiss 50W 80° 1800-16000K /RGB CR...

**TC40013.00.56.51**

roundFFECT 80 - DALI Human Centric Lighting schwenkbar weiss 15W 50° 1800-16000K/...

**TC40013.00.56.53**

roundFFECT 80 - NeoLink Human Centric Lighting schwenkbar weiss 15W 50° 1800-1600...

**TC40013.09.56.51**

roundFFECT 80 - DALI Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800-16...

**TC40013.09.56.53**

roundFFECT 80 - NeoLink Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800...

**TC40014.00.56.51**

squareFFECT 80 - DALI Human Centric Lighting schwenkbar weiss 15W 50° 1800-16000K...

**TC40014.00.56.53**

squareFFECT 80 - NeoLink Human Centric Lighting schwenkbar weiss 15W 50° 1800-16000K...

**TC40014.09.56.51**

squareFFECT 80 - DALI Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800-16000K...

**TC40014.09.56.53**

squareFFECT 80 - NeoLink Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800-16000K...

**TC40019.33.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/weiss 12W 75° 1800-16000K...

**TC40019.33.56.53**


roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/weiss 12W 75°  
1800-16000K/...

**TC40019.61.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/gold 12W 75° 1800-  
16000K/...

**TC40019.61.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/gold 12W 75°  
1800-16000K/...

**TC40019.62.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/schwarz 12W 75°  
1800-16000K/...

**TC40019.62.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/schwarz 12W 75°  
1800-16000K/...

**TC40019.63.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/silber 12W 75° 1800-  
16000K/...

**TC40019.63.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/silber 12W 75°  
1800-16000lm

**TC40019.71.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr schwarz/gold 12W 75° 1800-  
16000lm

**TC40019.71.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr schwarz/gold 12W 75°  
1800-16000lm

**TC40019.72.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr mattschwarz/schwarz 12W  
75° 1800-16000lm

**TC40019.72.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr mattschwarz/schwarz  
12W 75° 1800-16000lm

**TC40019.73.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr schwarz/silber 12W 75°  
1800-16000lm

**TC40019.73.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr schwarz/silber 12W 75°  
1800-1600K

**TC40019.85.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr schwarz/weiss 12W 75°  
1800-1600K

**TC40019.85.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr schwarz/weiss 12W 75°  
1800-1600K

**TC40024.00.56.51**

squareFFECT 95 - DALI Human Centric Lighting starr weiss 14W 50° 1800-  
16000K/RGB

**TC40024.00.56.53**

squareFFECT 95 - NeoLink Human Centric Lighting starr weiss 14W 50° 1800-  
16000K/RGB

**TC40024.02.56.51**

squareFFECT 95 - DALI Human Centric Lighting starr schwarz 14W 50° 1800-  
16000K CR

**TC40024.02.56.53**

squareFFECT 95 - NeoLink Human Centric Lighting starr schwarz 14W 50° 1800-16000K...

**TC40024.04.56.51**

squareFFECT 95 - DALI Human Centric Lighting starr Aluminium geb. 14W 50° 1800-16...

**TC40024.04.56.53**

squareFFECT 95 - NeoLink Human Centric Lighting starr Aluminium geb. 14W 50° 1800...

**TC40234.00.56.51**

topFFECT 385 - DALI Human Centric Lighting starr weiss 35W 113° 1800-16000K CRI90...

**TC40234.00.56.53**

topFFECT 385 - NeoLink Human Centric Lighting starr weiss 35W 113° 1800-16000K CR...

**TC40234.01.56.51**

topFFECT 385 - DALI Human Centric Lighting starr silber 35W 113° 1800-16000K /RGB ...

**TC40234.01.56.53**

topFFECT 385 - NeoLink Human Centric Lighting starr silber 35W 113° 1800-16000K/R...

**TC40304.00.56.51**

penFFECT 555 - DALI Human Centric Lighting weiss 72W 120° 1800-16000K/RGB CRI90 7...

**TC40304.00.56.53**

penFFECT 555 - NeoLink Human Centric Lighting weiss 72W 120° 1800-16000K /RGB CRI9...

**TC40378.00.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar weiss 36W 25° 1800-160...

**TC40378.00.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar weiss 36W 25° 1800-...

**TC40378.00.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar weiss 36W 25° 1800-1600...

**TC40378.01.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar silber 36W 25°  
1800-16...

**TC40378.01.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar silber 36W  
25° 1800...

**TC40378.01.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar silber 36W 25°  
1800-160...

**TC40378.02.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar schwarz 36W 25°  
1800-1...

**TC40378.02.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar schwarz 36W  
25° 180...

**TC40378.02.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar schwarz 36W 25°  
1800-16...

**TC40388.00.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar weiss 36W 40°  
1800-160...

**TC40388.00.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar weiss 36W  
40° 1800-...

**TC40388.00.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar weiss 36W 40°  
1800-1600...

**TC40388.01.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar silber 36W 40°  
1800-16...

**TC40388.01.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar silber 36W  
40° 1800...

**TC40388.01.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar silber 36W 40°  
1800-160...

**TC40388.02.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar schwarz 36W 40°  
1800-1...

**TC40388.02.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar schwarz 36W  
40° 180...

**TC40388.02.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar schwarz 36W 40°  
1800-16...

**TC40389.00.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar weiss 36W 60°  
1800-160...

**TC40389.00.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar weiss 36W  
60° 1800-...

**TC40389.00.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar weiss 36W 60°  
1800-1600...

**TC40389.01.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar silber 36W 60°  
1800-16...

**TC40389.01.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar silber 36W  
60° 1800...

**TC40389.01.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar silber 36W 60°  
1800-160...

**TC40389.02.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar schwarz 36W 60°  
1800-1...

**TC40389.02.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar schwarz 36W  
60° 180...

**TC40389.02.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar schwarz 36W 60°  
1800-16...

**AA1100162**

**KONTAKT**

ARCLITE® Lichtvertrieb GmbH

Marie-Curie-Strasse 11  
22941 Bargteheide  
Deutschland