



ARCLITE®

AA1100161

AA1100161

GTIN: 9010315047967

Zentralplatte mit Drehknopf für FFECT Programm AA1100161

AA1100161

ARTIKELDETAILS

Zentralplatte mit Drehknopf, Jung A500 Serie, für K-ZWALLY

Kontaktinformationen zur Marke

Hersteller:

ARCLITE Lichtvertrieb GmbH

Marie-Curie-Strasse 11

22941 Bargteheide

info@arclite.de

AA1100161

EIGENSCHAFTEN

AA1100161

MERKMALE

Produktgruppe	Abdeckrahmen (EC000007)
Unterputzmontage	Nein
Anzahl der Einheiten	1
Montagerichtung	horizontal und vertikal
Anzahl der Einheiten horizontal	1,00
Anzahl der Einheiten vertikal	1,00
Anzahl der Module horizontal (bei Modulbauweise)	1
Anzahl der Module vertikal (bei Modulbauweise)	1
Textfeld/Beschriftungsfläche	Nein
Oberflächenschutz	sonstige
Ausführung der Oberfläche	glänzend
Farbe	weiß
RAL-Nummer (ähnlich)	9010
Transparent	Nein
Mit Klappdeckel	Nein
Befestigungsart	Klemmbefestigung
Breite	81 mm
Höhe	81 mm
Tiefe	10 mm
Durchmesser Bohrung (Öffnung)	55,00 mm
Werkstoff	Kunststoff
Werkstoffgüte	Duroplast
Halogenfrei	Ja
Geeignet für Unterflurkanaldose	Ja
Geeignet für Geräteeinbaukanal	Ja
Geeignet für Einbauinstallation	Ja

IMPORT/EXPORT

Statistische Warennummer

Waren aus Kunststoffen und Waren aus anderen Stoffen der Positionen 3901 bis 3914, anderweit weder genannt noch inbegriffen (ausg. Gesichtsschutzschirme /Visiere) (39269097)

WEITERE PRODUKTE

ZUBEHÖR FÜR

**AA1100157**

Wandsteuerung Einbau für FFECT Programm AA1100157

**AA1100158**

Wandsteuerung Einbau für FFECT Programm AA1100158

**AA1100160**

Wandsteuerung Einbau für FFECT Programm AA1100160

**TB41265.00.56.51**

squareFFECT 625 BAP - DALI Human Centric Lighting weiss 50W 80° 1800-16000K/RGB C...

**TB41265.00.56.53**

squareFFECT 625 BAP - NeoLink Human Centric Lighting weiss 50W 80° 1800-16000K/RG...

**TB41265.00.56.69**

squareFFECT 625 BAP - BLE Human Centric Lighting weiss 50W 80° 1800-16000K /RGB CR...

**TC40013.00.56.51**

roundFFECT 80 - DALI Human Centric Lighting schwenkbar weiss 15W 50° 1800-16000K/...

**TC40013.00.56.53**

roundFFECT 80 - NeoLink Human Centric Lighting schwenkbar weiss 15W 50° 1800-1600...

**TC40013.09.56.51**

roundFFECT 80 - DALI Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800-16...

**TC40013.09.56.53**

roundFFECT 80 - NeoLink Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800...

**TC40014.00.56.51**

squareFFECT 80 - DALI Human Centric Lighting schwenkbar weiss 15W 50° 1800-16000K...

**TC40014.00.56.53**

squareFFECT 80 - NeoLink Human Centric Lighting schwenkbar weiss 15W 50° 1800-16000K...

**TC40014.09.56.51**

squareFFECT 80 - DALI Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800-16000K...

**TC40014.09.56.53**

squareFFECT 80 - NeoLink Human Centric Lighting schwenkbar Chrom matt 15W 50° 1800-16000K...

**TC40019.33.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/weiss 12W 75° 1800-16000K...

**TC40019.33.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/weiss 12W 75° 1800-16000K...

**TC40019.61.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/gold 12W 75° 1800-16000K/...

**TC40019.61.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/gold 12W 75° 1800-1600...

**TC40019.62.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/schwarz 12W 75° 1800-1600...

**TC40019.62.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/schwarz 12W 75° 1800-1...

**TC40019.63.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr weiss/silber 12W 75° 1800-16000...

**TC40019.63.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr weiss/silber 12W 75° 1800-16...

**TC40019.71.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr schwarz/gold 12W 75° 1800-16000...

**TC40019.71.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr schwarz/gold 12W 75° 1800-16...

**TC40019.72.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr mattschwarz/schwarz 12W 75° 180...

**TC40019.72.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr mattschwarz/schwarz 12W 75° ...

**TC40019.73.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr schwarz/silber 12W 75° 1800-160...

**TC40019.73.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr schwarz/silber 12W 75° 1800-...

**TC40019.85.56.51**

roundFFECT 68 - DALI Human Centric Lighting starr schwarz/weiss 12W 75°
1800-1600K...

**TC40019.85.56.53**

roundFFECT 68 - NeoLink Human Centric Lighting starr schwarz/weiss 12W 75°
1800-1600K...

**TC40024.00.56.51**

squareFFECT 95 - DALI Human Centric Lighting starr weiss 14W 50° 1800-
16000K/RGB ...

**TC40024.00.56.53**

squareFFECT 95 - NeoLink Human Centric Lighting starr weiss 14W 50° 1800-
16000K/R...

**TC40024.02.56.51**

squareFFECT 95 - DALI Human Centric Lighting starr schwarz 14W 50° 1800-
16000K CR...

**TC40024.02.56.53**

squareFFECT 95 - NeoLink Human Centric Lighting starr schwarz 14W 50° 1800-
16000K CR...

**TC40024.04.56.51**

squareFFECT 95 - DALI Human Centric Lighting starr Aluminium geb. 14W 50° 1800-16000K

**TC40024.04.56.53**

squareFFECT 95 - NeoLink Human Centric Lighting starr Aluminium geb. 14W 50° 1800-16000K

**TC40234.00.56.51**

topFFECT 385 - DALI Human Centric Lighting starr weiss 35W 113° 1800-16000K CRI90+

**TC40234.00.56.53**


topFFECT 385 - NeoLink Human Centric Lighting starr weiss 35W 113° 1800-16000K CRI90+

**TC40234.01.56.51**


topFFECT 385 - DALI Human Centric Lighting starr silber 35W 113° 1800-16000K /RGB ...

**TC40234.01.56.53**

topFFECT 385 - NeoLink Human Centric Lighting starr silber 35W 113° 1800-16000K/R...

**TC40304.00.56.51**

penFFECT 555 - DALI Human Centric Lighting weiss 72W 120° 1800-16000K/RGB CRI90 7...

**TC40304.00.56.53**

penFFECT 555 - NeoLink Human Centric Lighting weiss 72W 120° 1800-16000K /RGB CRI9...

**TC40378.00.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar weiss 36W 25° 1800-160...

**TC40378.00.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar weiss 36W 25° 1800-...

**TC40378.00.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar weiss 36W 25° 1800-1600...

**TC40378.01.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar silber 36W 25° 1800-16...

**TC40378.01.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar silber 36W 25° 1800...

**TC40378.01.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar silber 36W 25° 1800-160...

**TC40378.02.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar schwarz 36W 25° 1800-1...

**TC40378.02.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar schwarz 36W 25° 180...

**TC40378.02.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar schwarz 36W 25° 1800-16...

**TC40388.00.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar weiss 36W 40° 1800-160...

**TC40388.00.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar weiss 36W 40° 1800-...

**TC40388.00.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar weiss 36W 40° 1800-1600...

**TC40388.01.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar silber 36W 40° 1800-16...

**TC40388.01.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar silber 36W 40° 1800-...

**TC40388.01.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar silber 36W 40° 1800-160...

**TC40388.02.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar schwarz 36W 40° 1800-1...

**TC40388.02.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar schwarz 36W 40° 180...

**TC40388.02.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar schwarz 36W 40° 1800-16...

**TC40389.00.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar weiss 36W 60° 1800-160...

**TC40389.00.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar weiss 36W 60° 1800-...

**TC40389.00.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar weiss 36W 60° 1800-1600...

**TC40389.01.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar silber 36W 60° 1800-16...

**TC40389.01.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar silber 36W 60° 1800...

**TC40389.01.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar silber 36W 60° 1800-160...

**TC40389.02.56.51**

trackFFECT 5 - DALI Human Centric Lighting dreh-schwenkbar schwarz 36W 60° 1800-1...

**TC40389.02.56.53**

trackFFECT 5 - NeoLink Human Centric Lighting dreh-schwenkbar schwarz 36W 60° 180...

**TC40389.02.56.69**

trackFFECT 5 - BLE Human Centric Lighting dreh-schwenkbar schwarz 36W 60° 1800-16...

ZUBEHÖR

**AA1100162**

1-fach Aufbaurahmen für FFECT Programm AA1100162



AA1100163

2-fach Aufbaurahmen für FFECT Programm AA1100163

KONTAKT

ARCLITE® Lichtvertrieb GmbH

Marie-Curie-Strasse 11
22941 Bargteheide
Deutschland